§1.5: INTERPRETING, ESTIMATING, AND USING THE DERIVATIVE

Dr. Janssen Lecture 5 How can we approximate and interpret derivatives of functions not defined by algebraic expressions?

Preview Activity

Let f(x) be a function, a a point in the function's domain, and h > 0.

- The difference quotient is the expression $\frac{f(a+h) f(a)}{h}$.
- The central difference is the expression $\frac{f(a+h) f(a-h)}{2h}$.

Example (Desmos)

ACTIVITY 1.5.2

A potato is placed in an oven, and the potato's temperature *F* (in degrees Fahrenheit) at various points in time is taken and recorded in the following table. Time *t* is measured in minutes.

t	<i>F</i> (<i>t</i>)
0	70
15	180.5
30	251
45	296
60	324.5
75	342.8
90	354.5

- (a) Use a central difference to estimate the instantaneous rate of change of the temperature of the potato at t = 30. Include units on your answer.
- (b) Use a central difference to estimate the instantaneous rate of change of the

temperature of the potato at t = 60. Include units on your answer.

- (c) Without doing any calculation, which do you expect to be greater: F'(75) or F'(90)? Why?
- (d) Suppose it is given that F(64) = 330.28 and F'(64) = 1.341. What are the units on these two quantities? What do you expect the temperature of the potato to be when t = 65? when t = 66? Why?
- (e) Write a couple of careful sentences that describe the behavior of the temperature of the potato on the time interval [0, 90], as well as the behavior of the instantaneous rate of change of the temperature of the potato on the same time interval.

A company manufactures rope, and the total cost of producing r feet of rope is C(r) dollars.

- (a) What does it mean to say that C(2000) = 800?
- (b) What are the units of C'(r)?
- (c) Suppose that C(2000) = 800 and C'(2000) = 0.35. Estimate C(2100), and justify your estimate by writing at least one sentence that explains your thinking.
- (d) Which of the following statements do you think is true, and why?
 - C'(2000) < C'(3000)
 - C'(2000) = C'(3000)
 - C'(2000) > C'(3000)
- (e) Suppose someone claims that C'(5000) = -0.1. What would the practical meaning of this derivative value tell you about the approximate cost of the next foot of rope? Is this possible? Why or why not?

Researchers at a major car company have found a function that relates gasoline consumption to speed for a particular model of car. In particular, they have determined that the consumption *C*, in **liters per kilometer**, at a given speed *s*, is given by a function C = f(s), where *s* is the car's speed in **kilometers per hour**.

- (a) Data provided by the car company tells us that f(80) = 0.015, f(90) = 0.02, and f(100) = 0.027. Use this information to estimate the instantaneous rate of change of fuel consumption with respect to speed at s = 90. Be as accurate as possible, use proper notation, and include units on your answer.
- (b) By writing a complete sentence, interpret the meaning (in the context of fuel consumption) of "f(80) = 0.015."
- (c) Write at least one complete sentence that interprets the meaning of the value of f'(90) that you estimated in (a).